§ 180.468

| Commodity | Parts per million |
|--------------------|--|
| Almond | 0.1 0.1 0.1 0.1 0.1 0.1 |
| Plum, prune, fresh | 0.1 |

[58 FR 33771, June 21, 1993, as amended at 62 FR 26949, May 16, 1997]

§ 180.468 Flumetsulam; tolerances for residues.

(a) General. Tolerances are established for residues of the herbicide flumetsulam, including its metabolites and degradates, in or on the commodities in the table in this paragraph. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only flumetsulam, N-(2,6-difluorophenyl)-5-methyl-(1,2,4)-triazolo-(1,5a)-pyrimidine-2-sulfonamide, in or on the commodity.

| Commodity | Parts per million |
|--|--------------------------------------|
| Bean, dry, seed Corn, field, forage Corn, field, grain Corn, field, stover Soybean, seed | 0.05 0.05 0.05 0.05 0.05 |

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[76 FR 23497, Apr. 27, 2011]

§180.469 Dichlormid; tolerances for residues.

(a) General. Tolerances are established for residues of dichlormid, including its metabolites and degradates, when used as an inert ingredient (herbicide safener) in pesticide formulations, in or on the commodities in the following table. Compliance with the tolerances is to be determined by measuring only dichlormid (2,2-dichloro-N,N-di-2-propenylacetamide).

| Commodity | Parts per million |
|---------------------|----------------------|
| Corn, field, forage | 0.05 |

| Commodity | Parts per million |
|---|-------------------|
| Corn, field, stover | 0.05 |
| Corn, pop, grain | 0.05 |
| Corn, pop, stover | 0.05 |
| Corn, sweet, forage | 0.05 |
| Corn, sweet, kernel plus cob with husks re- | |
| moved | 0.05 |
| Corn, sweet, stover | 0.05 |

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[65 FR 16149, Mar. 27, 2000, as amended at 67 FR 51105, Aug. 7, 2002; 69 FR 58290, Sept. 30, 2004; 70 FR 76699, Dec. 28, 2005; 74 FR 37623, July 29, 2009; 76 FR 16310, Mar. 23, 2011

§ 180.470 Acetochlor; tolerances for residues.

(a) General. Tolerances are established for residues of acetochlor, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only acetochlor, 2-chloro-2'-methyl-6-ethyl-N-

ethoxymethylacetanilide, and its metabolites containing the ethyl methyl aniline (EMA) moiety and the hydroxyethyl methyl aniline (HEMA) moiety. Both parent and the named metabolites shall be determined as ethyl methyl aniline (EMA) and hydroxyethyl methyl aniline (HEMA), and calculated as the stoichiometric equivalents of acetochlor, in or on the following commodities:

| Commodity | Parts per million |
|---|--|
| Corn, field, forage Corn, field, grain Corn, field, stover Corn, pop, stover Corn, pop, stover Corn, sweet, forage Corn, sweet, kernels plus cob with husks removed Corn, sweet, stover Cotton, gin byproducts Cotton, undelinted seed Sorghum, grain, forage | 4.5 0.05 2.5 0.05 2.5 1.5 0.05 1.0 4.0 0.6 1.6 |
| Sorghum, grain, grain | 0.05 1.7 |
| Sorghum, grain, stover | 1.7 1.2 1.0 |

(b) Section 18 emergency exemptions. [Reserved]